



KBL-015A

Bouncy Peach Blush

| % | INGREDIENT | INCI NAME | SUPPLIER |
|---------------|----------------------------|---|----------------------------|
| Part 1 | | | |
| 10.00 | ASO-I2 | Aluminum Starch Octenylsuccinate (And) Isopropyl Titanium Triisostearate | Kobo Products |
| 6.05 | SERICITE GMS-4C | Mica | Kobo Products |
| 4.00 | BTD-401 | Titanium Dioxide (And) Isopropyl Titanium Triisostearate | Kobo Products |
| 2.00 | BRO-I2 | Iron Oxides (CI 77491) (And) Isopropyl Titanium Triisostearate | Kobo Products |
| 0.75 | RED 28AL U-I3 | Red 28 Lake (And) Isopropyl Titanium Triisostearate | Kobo Products |
| 0.10 | Propyl Paraben NF | Propylparaben | International Sourcing |
| 0.10 | Methyl Paraben NF | Methylparaben | International Sourcing |
| Part 2 | | | |
| 3.00 | Wickenol 155 | Ethylhexyl Palmitate | Alzo International Inc. |
| Part 3 | | | |
| 31.00 | Wickenol 155 | Ethylhexyl Palmitate | International Sourcing |
| 7.50 | DC 556 Fluid | Phenyl Trimethicone | Dow Corning |
| 5.50 | Lameform® TGI | Polyglycerol-3 Diisostearate | Chem Specs/Cognis Corp. |
| 3.00 | PM WAX 82 | Polyethylene (And) Microcrystalline Wax | Toray/Kobo Products |
| 2.00 | Softisan® 100 | Hydrogenated Coco-Glycerides | IOI Oleo GmbH |
| 1.00 | Microcrystalline Wax SP-89 | Microcrystalline Wax | Strahl & Pitsch, Inc. |
| 1.00 | KOBOGUARD® HRPC | Hydrogenated Polycyclopentadiene (And) Polyethylene (And) Copernicia Cerifera (Carnauba) Wax (And) Tocopherol | Kobo Products |
| 1.00 | Carnauba Wax SP 63P | Copernicia Cerifera (Carnauba) Wax | Strahl & Pitsch, Inc. |
| Part 4 | | | |
| 8.50 | KTZ® GOLD LAME | Mica (And) Titanium Dioxide (And) Iron Oxides (CI 77491) | Kobo Products |
| 8.50 | KTZ® ARUBAN CORAL | Mica (And) Titanium Dioxide (And) Iron Oxides (CI 77491) | Kobo Products |
| 5.00 | DSPCS/20N-I2 | Silica (And) Ethylene/Methacrylate Copolymer (And) Isopropyl Titanium Triisostearate | Kobo Products |
| 100.00 | | | |

Description:

A blush with a unique bouncy texture that blends easily and provides buildable color to cheeks. Kobo's SERICITE GMS-4C and ITT-Treated starch and pigments provides the basis for the cream-to-powder texture. DSPCS/20N-I2 contributes greatly to the powdery afterfeel. PM WAX 82 is a combination of waxes used to structure the formula. KOBOGUARD® HRPC is a film former that gives good wear and adhesion. KTZ® GOLD LAMÉ and KTZ® ARUBAN CORAL provide a light shimmer to this blush.

Manufacturing Procedure:

1. Blend Part 1 and pass through a micropulverizer until the color is fully dispersed.
2. Add Part 2 to Part 1 and blend until fully dispersed.
3. Heat Part 3 with stirring to 80°C.
4. Add Parts 1 and 2 to Part 3 and mix until homogenous.
5. Add Part 4.
6. Continue to mix until uniform while maintaining temperature.
6. Pour at 78°C-80°C.



KOBO
www.koboproducts.com

March, 2017

FORMULATIONS

Product formulations are included as illustrative examples only. Kobo Products Inc. makes no representation or warranty concerning the efficacy or safety of any product manufactured using such formulations. All statements concerning the possible use of Kobo Products Inc. are for research purposes only. Responsibility for the performance or adequate testing of any product prior to sale or use of any such product lies with the manufacturer thereof.

USE OF PRODUCTS

Products sold by Kobo are designed, manufactured and sold for industrial use only. Prior to use of any such product for any application other than an industrial use, the user has the sole responsibility and obligation to determine the suitability of any such product for any such application.

PATENT STATUS

Nothing contained herein shall be construed to imply the nonexistence of any relevant patents or to constitute a permission, inducement or recommendation to practice any invention covered by any patent, without authority from the owner of the patent.

LIMITATION OF LIABILITY

Kobo Products Inc. shall in no event, whether the claim is based on warranty, contract, tort, strict liability, negligence or otherwise, be liable for incidental or consequential damages, or for any other damages in excess of the amount of the purchase price.

KOBO

*The Powder & Dispersion
Specialist*



KOBO PRODUCTS, INC
3474 South Clinton Avenue
South Plainfield, NJ 07080
USA

Tel: +1 - 908 757 0033
Fax: +1 - 908 757 0905



KOBO BRASIL, LTDA
Rua Francisco Nakazato n. 2357
Itupeva SP 13.295-000
BRASIL

Tel: +55 (11) 5062 6034



KOBO PRODUCTS, LTD
67D(IV), Innovation Drive
Milton Park, Abingdon, OX14 4RQ
UNITED KINGDOM

Tel: +44 7913 636 673



KOBO PRODUCTS, SAS
135 Rue Buissonnière
Quartier Bouysset
31670 Labège
FRANCE

Tel: +33 - (0) 5 62 88 77 40
Fax: +33 - (0) 5 62 88 77 49



KOBO DISPATEK, INC
1-4-8 Nihombashi-bakurocho
Chuoko, Tokyo, 103-0002
JAPAN

Tel: +81 - 3 3663 8049
Fax: +81 - 3 3661 8679

www.koboproducts.com