



KBL-022A

Fresh Glow Bronzer

%	INGREDIENT	INCI NAME	SUPPLIER
Part 1			
8.80	TALC U-11S2	Talc (And) Triethoxycaprylylsilane	Kobo Products
6.90	BTD-11S2	Titanium Dioxide (And) Triethoxycaprylylsilane	Kobo Products
5.20	GMS-11S2	Mica (And) Triethoxycaprylylsilane	Kobo Products
1.00	BYO-11S2	Iron Oxides (CI 77492) (And) Triethoxycaprylylsilane	Kobo Products
0.60	BRO-11S2	Iron Oxides (CI 77491) (And) Triethoxycaprylylsilane	Kobo Products
0.30	BBO-11S2	Iron Oxides (CI 77499) (And) Triethoxycaprylylsilane	Kobo Products
0.10	Propyl Paraben NF	Propylparaben	International Sourcing
0.10	Methyl Paraben NF	Methylparaben	International Sourcing
Part 2			
43.00	Lexol® EHP	Ethylhexyl Palmitate	Inolex Chemical Company
3.00	PM WAX 82	Polyethylene (And) Microcrystalline Wax	Toray/Kobo Products
2.00	SF1642	C30-45 Alkyl Dimethicone	Momentive
2.00	Petrolatum G1958	Petrolatum	Sonneborn Inc
2.00	Lameform® TGI	Polyglycerol-3 Diisostearate	BASF
2.00	KOBOGUARD® 5400 SQ	Hydrogenated Polycyclopentadiene (And) Squalane	Kobo Products
1.00	Microcrystalline Wax SP-89	Microcrystalline Wax	Strahl & Pitsch
1.00	Carnauba Wax SP 63P	Copernicia Cerifera (Carnauba) Wax	Strahl & Pitsch
0.50	Cetiol® SB 45	Shea Butter	BASF
Part 3			
8.50	KTZ® FOLIAGE FLUTTER-11S2	Titanium Dioxide (And) Mica (And) Iron Oxides (CI 77491) (And) Triethoxycaprylylsilane	Kobo Products
8.50	KTZ® COPPER-11S2	Mica (And) Iron Oxides (CI 77491) (And) Triethoxycaprylylsilane	Kobo Products
3.50	DSPCS-I2	Silica (And) Ethylene/Methacrylate Copolymer (And) Isopropyl Titanium Triisostearate	Kobo Products
100.00			

Description:

This Fresh Glow Bronzer gives cheeks a sun-kissed look and feels weightless on the skin. It features Kobo's 11S Silane-Treated Pigments and Fillers that disperse easily and adhere well to the skin. KOBOGUARD® 5400 SQ, resin composite, gives quick build up with a water-resistant film and aids in long wear. KTZ® COPPER-11S2 and KTZ® FOLIAGE FLUTTER-11S2 give a unique pearlescent effect. DSPCS-12 gives a lightweight feel and helps the formula go immediately into a powder on the skin. PM WAX 82 contributes to the structure of the blush.

Manufacturing Procedure:

1. Blend Part 1 and pass through a micropulverizer until the color is fully dispersed. □
2. Heat Part 2 with T-blade stirring to 80°C. □
3. Add Part 1 to Part 2 and mix until homogeneous using a propeller blade. □
4. Add Part 3. □
5. Continue to mix until uniform while maintaining temperature. □
6. Pour at 78° -80° C.



KOBO
www.koboproducts.com

June, 2020

FORMULATIONS

Product formulations are included as illustrative examples only. Kobo Products Inc. makes no representation or warranty concerning the efficacy or safety of any product manufactured using such formulations. All statements concerning the possible use of Kobo Products Inc. are for research purposes only. Responsibility for the performance or adequate testing of any product prior to sale or use of any such product lies with the manufacturer thereof.

USE OF PRODUCTS

Products sold by Kobo are designed, manufactured and sold for industrial use only. Prior to use of any such product for any application other than an industrial use, the user has the sole responsibility and obligation to determine the suitability of any such product for any such application.

PATENT STATUS

Nothing contained herein shall be construed to imply the nonexistence of any relevant patents or to constitute a permission, inducement or recommendation to practice any invention covered by any patent, without authority from the owner of the patent.

LIMITATION OF LIABILITY

Kobo Products Inc. shall in no event, whether the claim is based on warranty, contract, tort, strict liability, negligence or otherwise, be liable for incidental or consequential damages, or for any other damages in excess of the amount of the purchase price.

KOBO

The Powder & Dispersion Specialist



KOBO PRODUCTS, INC
3474 South Clinton Avenue
South Plainfield, NJ 07080
USA

Tel: +1 - 908 757 0033
Fax: +1 - 908 757 0905



KOBO BRASIL, LTDA
Rua Francisco Nakazato n. 2357
Itupeva SP 13.295-000
BRASIL

Tel: +55 (11) 5062 6034



KOBO PRODUCTS, LTD
67D(IV), Innovation Drive
Milton Park, Abingdon, OX14 4RQ
UNITED KINGDOM

Tel: +44 7913 636 673



KOBO PRODUCTS, SAS
135 Rue Buissonnière
Quartier Bouysset
31670 Labège
FRANCE

Tel: +33 - (0) 5 62 88 77 40
Fax: +33 - (0) 5 62 88 77 49



KOBO DISPATEK, INC
1-4-8 Nihombashi-bakurocho
Chuoko, Tokyo, 103-0002
JAPAN

Tel: +81 - 3 3663 8049
Fax: +81 - 3 3661 8679

www.koboproducts.com

www.koboproducts.com