



KBL-035A

Bouncy Cream Blush

%	INGREDIENT	INCI NAME	SUPPLIER
Part 1			
27.95	WICKENOL 155	Ethylhexyl Palmitate	Alzo
7.50	CPF-3300@10cSt	Phenyl Trimethicone	Avantor/Kobo Products
5.50	Lameform® TGI	Polyglycerol-3 Diisostearate	BASF
3.00	Protachem™ CTG	Caprylic/Capric Triglyceride	Protameen
2.00	SymDiol® 68	1,2 Hexanediol (and) Caprylyl Glycol	Symrise
Part 2			
5.00	CARNAUBA WAX SP 63P	Copernicia Cerifera (Carnauba) Wax	Strahl & Pitsch
3.00	Softisan® 100	Hydrogenated Coco-Glycerides	IOI Oleo GmbH
Part 3			
30.00	KTZ® SM MAGENTA	Iron Oxides (CI 77491) (And) Titanium Dioxide (And) Synthetic Fluorphlogopite (And) Silica	Kobo Products
10.00	CARESS® BN06	Boron Nitride	Bent Tree/Kobo Products
6.05	SERICITE GMS-4C	Mica	Kobo Products
100.00			

Description:

A bouncy cream blush that transforms into a long-lasting, weightless, breathable, elegant blush color with a soft matte finish. This bouncy blush's unique powder-gel, lightweight structure applies as cream and feels as sheer as a powder layer on the skin. CARESS® BN06, Boron Nitride, is used for superior softness and tactility, superb spreadability, excellent adherence, long-lasting effect and subtle opacity. SERICITE GMS-4C provides the base for the color and nice texture. Phenyl Trimethicone, CPF-3300@10cSt, in combination with the fillers in the formula deliver the bouncy elastomeric texture, which is easy to spread and smooths skin to perfection. KTZ® SM MAGENTA gives a unique metallic finish and the dark magenta shade.

Manufacturing Procedure:

1. Propeller mix Part 1 and heat to 85°C.
2. Add Part 2 to Part 1 and continue mixing until uniform and clear.
3. Sprinkle in Part 3 to Parts 1 and 2. Continue mixing for 5 minutes or until uniform.
4. Pour at 80°C. Let air cool to room temperature.



KOBO
www.koboproducts.com

June, 2021

FORMULATIONS

Product formulations are included as illustrative examples only. Kobo Products Inc. makes no representation or warranty concerning the efficacy or safety of any product manufactured using such formulations. All statements concerning the possible use of Kobo Products Inc. are for research purposes only. Responsibility for the performance or adequate testing of any product prior to sale or use of any such product lies with the manufacturer thereof.

USE OF PRODUCTS

Products sold by Kobo are designed, manufactured and sold for industrial use only. Prior to use of any such product for any application other than an industrial use, the user has the sole responsibility and obligation to determine the suitability of any such product for any such application.

PATENT STATUS

Nothing contained herein shall be construed to imply the nonexistence of any relevant patents or to constitute a permission, inducement or recommendation to practice any invention covered by any patent, without authority from the owner of the patent.

LIMITATION OF LIABILITY

Kobo Products Inc. shall in no event, whether the claim is based on warranty, contract, tort, strict liability, negligence or otherwise, be liable for incidental or consequential damages, or for any other damages in excess of the amount of the purchase price.

KOBO

The Powder & Dispersion Specialist



KOBO PRODUCTS, INC
3474 South Clinton Avenue
South Plainfield, NJ 07080
USA

Tel: +1 - 908 757 0033
Fax: +1 - 908 757 0905



KOBO BRASIL, LTDA
Rua Francisco Nakazato n. 2357
Itupeva SP 13.295-000
BRASIL

Tel: +55 (11) 5062 6034



KOBO PRODUCTS, LTD
67D(IV), Innovation Drive
Milton Park, Abingdon, OX14 4RQ
UNITED KINGDOM

Tel: +44 7913 636 673



KOBO PRODUCTS, SAS
135 Rue Buissonnière
Quartier Bouysset
31670 Labège
FRANCE

Tel: +33 - (0) 5 62 88 77 40
Fax: +33 - (0) 5 62 88 77 49



KOBO DISPATEK, INC
1-4-8 Nihombashi-bakurocho
Chuoko, Tokyo, 103-0002
JAPAN

Tel: +81 - 3 3663 8049
Fax: +81 - 3 3661 8679

www.koboproducts.com

www.koboproducts.com