



KCC-029-EU

No Silicone Elastomer Velvet Concealer

%	INGREDIENT	INCI NAME	SUPPLIER
Part 1			
30.00	KOBOGUARD® NATURAL 2063-CCT	Glyceryl Hydrogenated Rosinate (And) Caprylic/Capric Triglyceride	Kobo Products
22.00	BTD-ASGP3	Titanium Dioxide (CI 77891) (CI 77891) (And) Stearoyl Glutamic Acid (And) Polyhydroxystearic Acid	Kobo Products
12.90	Beausens Air	Ethylhexyl Pelargonate	Roelmi HPC
8.00	Dub PTO	Pentaerythrityl Tetraethylhexanoate	Stearinerie Dubois
2.00	BWYO-ASGP3	Iron Oxides (CI 77492) (And) Stearoyl Glutamic Acid (And) Polyhydroxystearic Acid	Kobo Products
0.40	BWRO-ASGP3	Iron Oxides (CI 77491) (And) Stearoyl Glutamic Acid (And) Polyhydroxystearic Acid	Kobo Products
0.20	BWBO-ASGP3	Iron Oxides (CI 77499) (And) Stearoyl Glutamic Acid (And) Polyhydroxystearic Acid	Kobo Products
Part 2			
4.00	Sunflower Wax	Helianthus Annuus (Sunflower) Seed Wax	Koster Keunen
3.50	Dub PTB	Pentaerythrityl Tetrabenenate	Stearinerie Dubois
2.00	Oliwax	Hydrogenated Olive Oil, Olea Europaea (Olive) Fruit Oil, Olea Europaea (Olive) Oil Unsaponifiables	Hallstar
1.00	Olivem 900	Sorbitan Olivatate	Hallstar
Part 3			
10.00	Cellulobeads D-5-ASG3	Cellulose (And) Stearoyl Glutamic Acid	Kobo Products
2.00	MSS-500/3H	Silica	Kobo Products
2.00	MSS-500/20N	Silica	Kobo Products
100.00			

Description:

A creamy, pigmented hot pour concealer with silicone elastomer feel without actually containing any silicones, to conceal any dark spots, blemishes or redness on the skin. Despite its high pigment and powder content the formula blends effortlessly and smoothly on the skin and does not accumulate in lines and wrinkles, which is a typical problem with high coverage concealers. Coverage is instant, the appearance is matt. It has excellent adhesion to the skin thanks to the **KOBOGUARD® NATURAL 2063-CCT**, a natural oil based film former. Our ASGP pigments that can be dispersed very easily without high shear contribute to the creaminess and great skin affinity of the formula. MSS-500/3H is used to support the prevention of sweating and MSS-500/20N (a low absorption silica) is used to impart good spreadability. MSS-500/20N used in combination with Cellulobeads D-5-ASG3 is responsible for the silicone elastomer feel of the formula.

Manufacturing Procedure:

1. Disperse pigments in the emollients under Silverson (high shear square hole head) at 3000 RPM for 5 minutes.
2. Add Part 2, heat to 90 degrees C, add C's and mix until homogenous.
3. Pour into containers at 75 degrees C and leave to cool at RT.



KOBO
www.koboproducts.com

January, 2023

FORMULATIONS

Product formulations are included as illustrative examples only. Kobo Products Inc. makes no representation or warranty concerning the efficacy or safety of any product manufactured using such formulations. All statements concerning the possible use of Kobo Products Inc. are for research purposes only. Responsibility for the performance or adequate testing of any product prior to sale or use of any such product lies with the manufacturer thereof.

USE OF PRODUCTS

Products sold by Kobo are designed, manufactured and sold for industrial use only. Prior to use of any such product for any application other than an industrial use, the user has the sole responsibility and obligation to determine the suitability of any such product for any such application.

PATENT STATUS

Nothing contained herein shall be construed to imply the nonexistence of any relevant patents or to constitute a permission, inducement or recommendation to practice any invention covered by any patent, without authority from the owner of the patent.

LIMITATION OF LIABILITY

Kobo Products Inc. shall in no event, whether the claim is based on warranty, contract, tort, strict liability, negligence or otherwise, be liable for incidental or consequential damages, or for any other damages in excess of the amount of the purchase price.

KOBO

The Powder & Dispersion Specialist



KOBO PRODUCTS, INC
3474 South Clinton Avenue
South Plainfield, NJ 07080
USA

Tel: +1 - 908 757 0033
Fax: +1 - 908 757 0905



KOBO BRASIL, LTDA
Rua Francisco Nakazato n. 2357
Itupeva SP 13.295-000
BRASIL

Tel: +55 (11) 5062 6034



KOBO PRODUCTS, LTD
67D(IV), Innovation Drive
Milton Park, Abingdon, OX14 4RQ
UNITED KINGDOM

Tel: +44 7913 636 673



KOBO PRODUCTS, SAS
135 Rue Buissonnière
Quartier Bouysset
31670 Labège
FRANCE

Tel: +33 - (0) 5 62 88 77 40
Fax: +33 - (0) 5 62 88 77 49



KOBO DISPATEK, INC
1-4-8 Nihombashi-bakurocho
Chuoko, Tokyo, 103-0002
JAPAN

Tel: +81 - 3 3663 8049
Fax: +81 - 3 3661 8679

www.koboproducts.com