



KLF-289

Liquid Foundation with OD Dispersions

%	INGREDIENT	INCI NAME	SUPPLIER
Part 1			
31.90	Deionized Water	Water	
1.50	Sodium Chloride	Sodium Chloride	Morton Salt
Part 2			
6.90	GLYCERIN U.S.P. NATURAL 96%	Glycerin	Ruger Chemical
0.10	Keltrol® CG	Xanthan Gum	CP Kelco
Part 3			
15.00	Liponate® GC	Caprylic/Capric Triglyceride	Vantage
12.00	OD75CJE	Titanium Dioxide (And) Octyldodecanol (And) Jojoba Esters (And) Trihydroxystearin	Kobo Products
7.00	Cetiol® CC	Dicaprylyl Carbonate	BASF
6.00	Myritol® 331	Cocoglycerides	BASF
5.90	DEHYMULS PGPH	Polyglyceryl-2 Dipolyhydroxystearate	BASF
3.00	KoboMica L-27-NJE2	Mica (And) Jojoba Esters	Kobo Products
2.00	CARESS® BN06	Boron Nitride	Bent Tree/Kobo Products
1.90	Cegesoft® SB	Butyrospermum Parkii (Shea) Butter	BASF
1.50	OD55YJE	Iron Oxides (CI 77492) (And) Octyldodecanol (And) Jojoba Esters (And) Trihydroxystearin	Kobo Products
1.50	Lexgard® Natural	Glyceryl Caprylate (And) Glyceryl Undecylenate	Inolex
1.50	DERMOFAT 4919	Stearic Acid	Alzo
0.90	MONOMULS® 90-O 18	Glyceryl Oleate	BASF
0.90	THIXCIN® R PC	Trihydroxystearin	Elementis Specialties
0.30	OD75RJE	Iron Oxides (CI 77491) (And) Octyldodecanol (And) Jojoba Esters (And) Trihydroxystearin	Kobo Products
0.20	OD75BJE	Iron Oxides (CI 77499) (And) Octyldodecanol (And) Jojoba Esters (And) Trihydroxystearin	Kobo Products
100.00			

Description:

This buildable, medium-coverage liquid foundation gives a light weight, natural skin appearance and fade-resistant wear. It has a creamy, silk-like texture that applies smoothly onto the skin. It contains Kobo's Natural, OD, Pigmentary dispersions which contain patented NJE, Natural Jojoba Ester surface treatment that enables pigment particles to be rendered hydrophobic. Natural Jojoba Ester-treated powder Kobo Mica L-27-NJE2 imparts a smooth, even application and good adherence on the skin. CARESS® BN06, Boron Nitride, is used for superior softness and tactility, superb spreadability, and in combination with the pigments, luminous coverage.

Manufacturing Procedure:

1. Combine Part 1 until fully dissolved while prop mixing.
2. Add Part 2 slurry to Part 1. Mix until uniform.
3. Combine Part 3 at 70°C. Homogenize until uniform then cool to 45°C.
4. Slowly Add Parts 1 and 2 to Part 3 until homogeneous.



KOBO
www.koboproducts.com

May, 2020

FORMULATIONS

Product formulations are included as illustrative examples only. Kobo Products Inc. makes no representation or warranty concerning the efficacy or safety of any product manufactured using such formulations. All statements concerning the possible use of Kobo Products Inc. are for research purposes only. Responsibility for the performance or adequate testing of any product prior to sale or use of any such product lies with the manufacturer thereof.

USE OF PRODUCTS

Products sold by Kobo are designed, manufactured and sold for industrial use only. Prior to use of any such product for any application other than an industrial use, the user has the sole responsibility and obligation to determine the suitability of any such product for any such application.

PATENT STATUS

Nothing contained herein shall be construed to imply the nonexistence of any relevant patents or to constitute a permission, inducement or recommendation to practice any invention covered by any patent, without authority from the owner of the patent.

LIMITATION OF LIABILITY

Kobo Products Inc. shall in no event, whether the claim is based on warranty, contract, tort, strict liability, negligence or otherwise, be liable for incidental or consequential damages, or for any other damages in excess of the amount of the purchase price.

KOBO

The Powder & Dispersion Specialist



KOBO PRODUCTS, INC
3474 South Clinton Avenue
South Plainfield, NJ 07080
USA

Tel: +1 - 908 757 0033
Fax: +1 - 908 757 0905



KOBO BRASIL, LTDA
Rua Francisco Nakazato n. 2357
Itupeva SP 13.295-000
BRASIL

Tel: +55 (11) 5062 6034



KOBO PRODUCTS, LTD
67D(IV), Innovation Drive
Milton Park, Abingdon, OX14 4RQ
UNITED KINGDOM

Tel: +44 7913 636 673



KOBO PRODUCTS, SAS
135 Rue Buissonnière
Quartier Bouysset
31670 Labège
FRANCE

Tel: +33 - (0) 5 62 88 77 40
Fax: +33 - (0) 5 62 88 77 49



KOBO DISPATEK, INC
1-4-8 Nihombashi-bakurocho
Chuoko, Tokyo, 103-0002
JAPAN

Tel: +81 - 3 3663 8049
Fax: +81 - 3 3661 8679

www.koboproducts.com

www.koboproducts.com