



KLG-092B

Pumpkin Natural Lip Gloss

%	INGREDIENT	INCI NAME	SUPPLIER
Part 1			
46.00	Protachem™ CTG	Caprylic/Capric Triglyceride	Protameen
30.00	CO15M5	Ricinus Communis (Castor) Seed Oil (And) Silica	Kobo Products
5.63	OD75RJE	Iron Oxides (CI 77491) (And) Octyldodecanol (And) Jojoba Esters (And) Trihydroxystearin	Kobo Products
5.63	OD55YJE	Iron Oxides (CI 77492) (And) Octyldodecanol (And) Jojoba Esters (And) Trihydroxystearin	Kobo Products
3.74	OD75CJE	Titanium Dioxide (And) Octyldodecanol (And) Jojoba Esters (And) Trihydroxystearin	Kobo Products
1.00	SunBoost ATB Natural	Argania Spinosa Kernel Oil (And) Tocopheryl Acetate (And) Bisabolol	Kobo Products
1.00	Lexgard® Natural	Glyceryl Caprylate (And) Glyceryl Undecylenate	Inolex
Part 2			
3.00	Beeswax White Sp 422P	Beeswax	Strahl & Pitsch
1.00	Plandool™-LG1	Phytosteryl/Behenyl/Octyldodecyl Lauroyl Glutamate	Nippon/Kobo Products
Part 3			
3.00	MSS-500/3H	Silica	Kobo Products
100.00			

Description:

This ultra-pigmented lip gloss glides smoothly on lips leaving behind a vividly glossy look. This formula features Kobo's OD dispersions to create the rich pumpkin shade. CO15M5 provides the formula with superior gloss and increased wear. SunBoost ATB Natural, a proprietary ratio of anti-oxidant, anti-irritant and anti-inflammatory agents, and Plandool™-LG1, a high melt point waxy material, work together to provide emolliency, while moisturizing and hydrating the lips. MSS-500/3H offers increased payoff and enhances the creamy feel of the formulation.

Manufacturing Procedure:

1. Combine Part 1 and prop mix until the color is uniform.
2. Begin heating Part 1 to 85°C and add Part 2. Continue mixing until waxes are completely melted.
3. Start cooling batch to 60°C. Add Part 3 at this temperature and continue mixing until uniform. Pour into small lip gloss components while still warm.



KOBO
www.koboproducts.com

May, 2019

FORMULATIONS

Product formulations are included as illustrative examples only. Kobo Products Inc. makes no representation or warranty concerning the efficacy or safety of any product manufactured using such formulations. All statements concerning the possible use of Kobo Products Inc. are for research purposes only. Responsibility for the performance or adequate testing of any product prior to sale or use of any such product lies with the manufacturer thereof.

USE OF PRODUCTS

Products sold by Kobo are designed, manufactured and sold for industrial use only. Prior to use of any such product for any application other than an industrial use, the user has the sole responsibility and obligation to determine the suitability of any such product for any such application.

PATENT STATUS

Nothing contained herein shall be construed to imply the nonexistence of any relevant patents or to constitute a permission, inducement or recommendation to practice any invention covered by any patent, without authority from the owner of the patent.

LIMITATION OF LIABILITY

Kobo Products Inc. shall in no event, whether the claim is based on warranty, contract, tort, strict liability, negligence or otherwise, be liable for incidental or consequential damages, or for any other damages in excess of the amount of the purchase price.

KOBO

*The Powder & Dispersion
Specialist*



KOBO PRODUCTS, INC
3474 South Clinton Avenue
South Plainfield, NJ 07080
USA

Tel: +1 - 908 757 0033
Fax: +1 - 908 757 0905



KOBO BRASIL, LTDA
Rua Francisco Nakazato n. 2357
Itupeva SP 13.295-000
BRASIL

Tel: +55 (11) 5062 6034



KOBO PRODUCTS, LTD
67D(IV), Innovation Drive
Milton Park, Abingdon, OX14 4RQ
UNITED KINGDOM

Tel: +44 7913 636 673



KOBO PRODUCTS, SAS
135 Rue Buissonnière
Quartier Bouysset
31670 Labège
FRANCE

Tel: +33 - (0) 5 62 88 77 40
Fax: +33 - (0) 5 62 88 77 49



KOBO DISPATEK, INC
1-4-8 Nihombashi-bakurocho
Chuoko, Tokyo, 103-0002
JAPAN

Tel: +81 - 3 3663 8049
Fax: +81 - 3 3661 8679

www.koboproducts.com