



KLP-234-BR

Liquid Matte Lipstick with FLORITE PS-MNS8

%	INGREDIENT	INCI NAME	SUPPLIER
Part 1			
22.52	Permethyl® 99A	Isododecane	Cosmotec
15.00	Versagel® MC1600	Isohexadecane (And) Ethylene/Propylene/Styrene Copolymer (And) Butylene/Ethylene/Styrene Copolymer	Vantage
10.00	T.I.O.	Triethylhexanoïn	Ikeda/Kobo Products
5.00	KOBOGUARD® 5400 IDD	Hydrogenated Polycyclopentadiene (And) Isododecane	Kobo Products
5.00	Bentone Gel® ISD V	Isododecane (And) Distearidimonium Hectorite (And) Propylene Carbonate	Elementis/Cosmotec
3.50	Ozoquerita	Ozokerite	Cosmotec
3.00	PM WAX 82	Polyethylene (And) Microcrystalline Wax	Kobo Products
2.00	COSMOL™ 168ARV	Dipentaerythryl Hexahydroxystearate/Hexastearate/Hexarosinate	Ikeda/Kobo Products
Part 2			
14.20	PMLVP40R7D	Isododecane (And) Red 7 Lake (And) Isohexadecane (And) Lecithin (And) Polyhydroxystearic Acid (And) Ethylene/Propylene/Styrene Copolymer (And) Butylene/Ethylene/Styrene Copolymer(And) Isopropyl Titanium Triisostearate	Kobo Products
10.43	PMLVP75R	Iron Oxides (CI 77491) (And) Isododecane (And) Isohexadecane (And) Lecithin (And) Polyhydroxystearic Acid (And) Ethylene/Propylene/Styrene Copolymer (And) Butylene/Ethylene/Styrene Copolymer (And) Isopropyl Titanium Triisostearate	Kobo Products
2.05	PMLVP75C	Titanium Dioxide (And) Isododecane (And) Isohexadecane (And) Isopropyl Titanium Triisostearate (And) Lecithin (And) Ethylene/Propylene/Styrene Copolymer (And) Polyhydroxystearic Acid (And) Butylene/Ethylene/Styrene Copolymer	Kobo Products
Part 3			
0.30	Lexgard® O	Caprylyl Glycol	Inolex
Part 4			
7.00	FLORITE PS-MNS8	Calcium Silicate (And) Methoxy Amodimethicone/Silsesquioxane Copolymer (And) Hydrogen Dimethicone	Kobo Products
100.00			

Description:

This Matte Lipstick delivers high impact color with a lightweight and comfortable texture. It features FLORITE PS-MNS8, a treated high oil absorption microsphere, that imparts a matte effect and cushioned feel. PMLVP dispersions contribute to intense matte coverage and provide full color development. For adhesion and substantivity of the formula to the lips, water-resistance and rub resistance, KOBOGUARD® 5400 IDD was used. COSMOL™ 168ARV helps with adhesion and comfort, and T.I.O. is an emollient with excellent lubricity. PM WAX 82 provides structure and improves formula stability.

Manufacturing Procedure:

1. Add Part 1 ingredients and heat to 80° C until completely melted. □
2. Add Part 2 and mix until homogeneous.
3. Add Part 3 and mix until homogeneous.
4. Add Part 4 and mix until homogeneous.
5. Cool to 45° C under stirring.



KOBO
www.koboproducts.com

October, 2019

FORMULATIONS

Product formulations are included as illustrative examples only. Kobo Products Inc. makes no representation or warranty concerning the efficacy or safety of any product manufactured using such formulations. All statements concerning the possible use of Kobo Products Inc. are for research purposes only. Responsibility for the performance or adequate testing of any product prior to sale or use of any such product lies with the manufacturer thereof.

USE OF PRODUCTS

Products sold by Kobo are designed, manufactured and sold for industrial use only. Prior to use of any such product for any application other than an industrial use, the user has the sole responsibility and obligation to determine the suitability of any such product for any such application.

PATENT STATUS

Nothing contained herein shall be construed to imply the nonexistence of any relevant patents or to constitute a permission, inducement or recommendation to practice any invention covered by any patent, without authority from the owner of the patent.

LIMITATION OF LIABILITY

Kobo Products Inc. shall in no event, whether the claim is based on warranty, contract, tort, strict liability, negligence or otherwise, be liable for incidental or consequential damages, or for any other damages in excess of the amount of the purchase price.

KOBO

The Powder & Dispersion Specialist



KOBO PRODUCTS, INC
3474 South Clinton Avenue
South Plainfield, NJ 07080
USA

Tel: +1 - 908 757 0033
Fax: +1 - 908 757 0905



KOBO BRASIL, LTDA
Rua Francisco Nakazato n. 2357
Itupeva SP 13.295-000
BRASIL

Tel: +55 (11) 5062 6034



KOBO PRODUCTS, LTD
67D(IV), Innovation Drive
Milton Park, Abingdon, OX14 4RQ
UNITED KINGDOM

Tel: +44 7913 636 673



KOBO PRODUCTS, SAS
135 Rue Buissonnière
Quartier Bouysset
31670 Labège
FRANCE

Tel: +33 - (0) 5 62 88 77 40
Fax: +33 - (0) 5 62 88 77 49



KOBO DISPATEK, INC
1-4-8 Nihombashi-bakurocho
Chuoko, Tokyo, 103-0002
JAPAN

Tel: +81 - 3 3663 8049
Fax: +81 - 3 3661 8679

www.koboproducts.com

www.koboproducts.com