



KLP-249A

Lipstick with Kobo SMC-BNS6

%	INGREDIENT	INCI NAME	SUPPLIER
Part 1			
13.20	COSMOL™ 222	Diisostearyl Malate	Ikeda
10.52	COSMOL™ 168ARV	Dipentaerythryl Hexahydroxystearate/Hexastearate/Hexarosinate	Ikeda
10.00	KOBOGUARD® 5400 CCT	Hydrogenated Polycyclopentadiene (And) Caprylic/Capric Triglyceride	Kobo Products
10.00	COSMOL™ 43V	Polyglyceryl-2 Triisostearate	Ikeda
7.98	CPF-3300@10cSt	Phenyl Trimethicone	Avantor/Kobo Products
2.00	SALACOS® 334	Caprylic/Capric/Myristic/Stearic Triglyceride	Ikeda
Part 2			
6.00	Ozokerite Wax White SP 1020P	Ozokerite	Strahl & Pitsch
4.90	PM WAX 82	Polyethylene (And) Microcrystalline Wax	Toray/Kobo Products
Part 3			
14.00	INBP45R7C	Red 7 Lake (And) Isononyl Isononanoate (And) Isopropyl Myristate (And) Stearalkonium Hectorite (And) Isopropyl Titanium Triisostearate (And) Propylene Carbonate (And) Polyhydroxystearic Acid	Kobo Products
7.00	INBP70U	Titanium Dioxide (And) Isononyl Isononanoate (And) Isopropyl Myristate (And) Stearalkonium Hectorite (And) Isopropyl Titanium Triisostearate (And) Propylene Carbonate (And) Polyhydroxystearic Acid	Kobo Products
4.40	INBP55EY	Iron Oxides (CI 77492) (And) Isononyl Isononanoate (And) Isopropyl Myristate (And) Stearalkonium Hectorite (And) Polyhydroxystearic Acid (And) Isopropyl Titanium Triisostearate (And) Propylene Carbonate	Kobo Products
Part 4			
10.00	Kobo SMC-BNS6	Silica (And) Boron Nitride	Kobo Products
100.00			

Description:

This creamy, high payoff lipstick has a modern red shade due to Kobo's INBP Pigmentary Dispersions which ease the manufacturing process and give a more intense, uniformly developed color. Kobo SMC-BNS6 adds creaminess, even application, and increased payoff. CPF-3300@10cSt is a low viscosity phenyl trimethicone that improves feel and application. PM WAX 82 contributes to the structure of the formula. KOBOGUARD® 5400 CCT is a film former that helps with long wear.

Manufacturing Procedure:

1. Combine Part 1 and heat to 90-95 °C under propeller mixer.
2. Add Part 2 to Part 1 and mix until waxes are melted.
3. Add Part 3 to Parts 1 and 2. Mix for 30 minutes until color is uniform.
4. Add Part 4 and mix until uniform.
5. Pour into molds at 85 °C.



KOBO
www.koboproducts.com

January, 2020

FORMULATIONS

Product formulations are included as illustrative examples only. Kobo Products Inc. makes no representation or warranty concerning the efficacy or safety of any product manufactured using such formulations. All statements concerning the possible use of Kobo Products Inc. are for research purposes only. Responsibility for the performance or adequate testing of any product prior to sale or use of any such product lies with the manufacturer thereof.

USE OF PRODUCTS

Products sold by Kobo are designed, manufactured and sold for industrial use only. Prior to use of any such product for any application other than an industrial use, the user has the sole responsibility and obligation to determine the suitability of any such product for any such application.

PATENT STATUS

Nothing contained herein shall be construed to imply the nonexistence of any relevant patents or to constitute a permission, inducement or recommendation to practice any invention covered by any patent, without authority from the owner of the patent.

LIMITATION OF LIABILITY

Kobo Products Inc. shall in no event, whether the claim is based on warranty, contract, tort, strict liability, negligence or otherwise, be liable for incidental or consequential damages, or for any other damages in excess of the amount of the purchase price.

KOBO

The Powder & Dispersion Specialist



KOBO PRODUCTS, INC
3474 South Clinton Avenue
South Plainfield, NJ 07080
USA

Tel: +1 - 908 757 0033
Fax: +1 - 908 757 0905



KOBO BRASIL, LTDA
Rua Francisco Nakazato n. 2357
Itupeva SP 13.295-000
BRASIL

Tel: +55 (11) 5062 6034



KOBO PRODUCTS, LTD
67D(IV), Innovation Drive
Milton Park, Abingdon, OX14 4RQ
UNITED KINGDOM

Tel: +44 7913 636 673



KOBO PRODUCTS, SAS
135 Rue Buissonnière
Quartier Bouysset
31670 Labège
FRANCE

Tel: +33 - (0) 5 62 88 77 40
Fax: +33 - (0) 5 62 88 77 49



KOBO DISPATEK, INC
1-4-8 Nihombashi-bakurocho
Chuoko, Tokyo, 103-0002
JAPAN

Tel: +81 - 3 3663 8049
Fax: +81 - 3 3661 8679

www.koboproducts.com

www.koboproducts.com