



KLP-249C

# Coral Sensation Lipstick

%	INGREDIENT	INCI NAME	SUPPLIER
<b>Part 1</b>			
13.20	COSMOL™ 222	Diisostearyl Malate	lkeda
10.52	COSMOL™ 168ARV	Dipentaerythryl Hexahydroxystearate/Hexastearate/Hexarosinate	lkeda
10.00	<b>KOBOGUARD® 5400 CCT</b>	Hydrogenated Polycyclopentadiene (And) Caprylic/Capric Triglyceride	<b>Kobo Products</b>
10.00	COSMOL™ 43V	Polyglyceryl-2 Triisostearate	lkeda
7.98	<b>CPF-3300@10cSt</b>	Phenyl Trimethicone	<b>Avantor/Kobo Products</b>
2.00	SALACOS® 334	Caprylic/Capric/Myristic/Stearic Triglyceride	lkeda
<b>Part 2</b>			
6.00	Ozokerite Wax White SP 1020P	Ozokerite	Strahl & Pitsch
4.90	<b>PM WAX 82</b>	Polyethylene (And) Microcrystalline Wax	<b>Toray/Kobo Products</b>
<b>Part 3</b>			
14.00	<b>INBP45R7C</b>	Red 7 Lake (And) Isononyl Isononanoate (And) Isopropyl Myristate (And) Stearalkonium Hectorite (And) Isopropyl Titanium Triisostearate (And) Propylene Carbonate (And) Polyhydroxystearic Acid	<b>Kobo Products</b>
7.00	<b>INBP70U</b>	Titanium Dioxide (And) Isononyl Isononanoate (And) Isopropyl Myristate (And) Stearalkonium Hectorite (And) Isopropyl Titanium Triisostearate (And) Propylene Carbonate (And) Polyhydroxystearic Acid	<b>Kobo Products</b>
4.40	<b>INBP55EY</b>	Iron Oxides (CI 77492) (And) Isononyl Isononanoate (And) Isopropyl Myristate (And) Stearalkonium Hectorite (And) Polyhydroxystearic Acid (And) Isopropyl Titanium Triisostearate (And) Propylene Carbonate	<b>Kobo Products</b>
<b>Part 4</b>			
8.00	<b>MSS-500/N</b>	Silica	<b>Kobo Products</b>
2.00	<b>CELLULOBEADS D-5</b>	Cellulose	<b>Daito/Kobo Products</b>
100.00			

## Description:

Coral Sensation Lipstick creates a bold, powerful and sophisticated look with its highly pigmented, rich, deep, pink color. Formulated with a luxurious, creamy and soft finish, this product is suitable for every skin tone. Kobo's INBP Pigmentary Dispersions ease the manufacturing process and give a more intense, uniformly developed color. CPF-3300@10cSt is a low viscosity phenyl trimethicone which improves feel and shine, and creaminess. PM WAX 82 contributes to the structure of the formula. KOBOGUARD® 5400 CCT is a film former that helps with comfortable longer wear. CELLULOBEADS D-5 reduces the appearance of lip lines. MSS-500/N imparts an elegant silky texture, increased payoff, and enhanced slip which promotes better blendability on the lips.

## Manufacturing Procedure:

1. Combine Part 1 and heat to 90-95 °C under propeller mixer.
2. Add Part 2 to Part 1 and mix until waxes are melted.
3. Add Part 3 to Parts 1 and 2. Mix for 30 minutes until color is uniform.
4. Add Part 4 and mix until uniform.
5. Pour into molds at 85 °C.



**KOBO**  
www.koboproducts.com

September, 2020

## FORMULATIONS

Product formulations are included as illustrative examples only. Kobo Products Inc. makes no representation or warranty concerning the efficacy or safety of any product manufactured using such formulations. All statements concerning the possible use of Kobo Products Inc. are for research purposes only. Responsibility for the performance or adequate testing of any product prior to sale or use of any such product lies with the manufacturer thereof.

## USE OF PRODUCTS

Products sold by Kobo are designed, manufactured and sold for industrial use only. Prior to use of any such product for any application other than an industrial use, the user has the sole responsibility and obligation to determine the suitability of any such product for any such application.

## PATENT STATUS

Nothing contained herein shall be construed to imply the nonexistence of any relevant patents or to constitute a permission, inducement or recommendation to practice any invention covered by any patent, without authority from the owner of the patent.

## LIMITATION OF LIABILITY

Kobo Products Inc. shall in no event, whether the claim is based on warranty, contract, tort, strict liability, negligence or otherwise, be liable for incidental or consequential damages, or for any other damages in excess of the amount of the purchase price.

# KOBO

## *The Powder & Dispersion Specialist*



**KOBO PRODUCTS, INC**  
3474 South Clinton Avenue  
South Plainfield, NJ 07080  
USA

Tel: +1 - 908 757 0033  
Fax: +1 - 908 757 0905



**KOBO BRASIL, LTDA**  
Rua Francisco Nakazato n. 2357  
Itupeva SP 13.295-000  
BRASIL

Tel: +55 (11) 5062 6034



**KOBO PRODUCTS, LTD**  
67D(IV), Innovation Drive  
Milton Park, Abingdon, OX14 4RQ  
UNITED KINGDOM

Tel: +44 7913 636 673



**KOBO PRODUCTS, SAS**  
135 Rue Buissonnière  
Quartier Bouysset  
31670 Labège  
FRANCE

Tel: +33 - (0) 5 62 88 77 40  
Fax: +33 - (0) 5 62 88 77 49



**KOBO DISPATEK, INC**  
1-4-8 Nihombashi-bakurocho  
Chuoko, Tokyo, 103-0002  
JAPAN

Tel: +81 - 3 3663 8049  
Fax: +81 - 3 3661 8679

[www.koboproducts.com](http://www.koboproducts.com)

[www.koboproducts.com](http://www.koboproducts.com)