



KLP-271

# Natural Tinted Lip and Cheek Protector Balm



%	INGREDIENT	INCI NAME	SUPPLIER
<b>Part 1</b>			
20.00	GCP45XZJ	Caprylic/Capric Triglyceride (And) Zinc Oxide (And) Polyhydroxystearic Acid (And) Jojoba Esters	Kobo Products
18.00	JOSP55XZJ	Zinc Oxide (And) Simmondsia Chinensis (Jojoba) Seed Oil (And) Polyhydroxystearic Acid (And) Jojoba Esters	Kobo Products
15.00	Protachem™ CTG	Caprylic/Capric Triglyceride	Protameen
10.00	JOS10M5	Simmondsia Chinensis (Jojoba) Seed Oil (And) Silica	Kobo Products
4.00	SunBoost ATB Natural	Argania Spinosa Kernel Oil (And) Tocopheryl Acetate (And) Bisabolol	Kobo Products
1.00	Lexgard® Natural	Glyceryl Caprylate (And) Glyceryl Undecylenate	Inolex
<b>Part 2</b>			
2.00	JOH55RJE	Iron Oxides (CI 77491) (And) Simmondsia Chinensis (Jojoba) Seed Oil (And) Jojoba Esters (And) Polyglyceryl-6 Polyricinoleate (And) Silica	Kobo Products
<b>Part 3</b>			
8.00	CARNAUBA WAX SP 63P	Copernicia Cerifera (Carnauba) Wax	Strahl & Pitsch
5.00	CANDELILLA WAX SP-75	Euphorbia Cerifera (Candelilla) Wax	Strahl & Pitsch
4.00	Plandool™-G	Bis-Behenyl/Isostearyl/Phytosteryl Dimer Dilinoleyl Dimer Dilinoleate	Nippon/Kobo Products
3.00	Plandool™-LG4	Phytosteryl/Behenyl/Octyldodecyl Lauroyl Glutamate	Nippon/Kobo Products
3.00	Cetiol® SB 45	Shea Butter	BASF
2.00	MANGO BUTTER	Mangifera Indica (Mango) Seed Butter	RITA
<b>Part 4</b>			
5.00	MSS-500/3H	Silica	Kobo Products
100.00			

## Description:

This buttery natural balm nourishes and soothes lips and provides a rosy tint for a pop of color with sun protection. Natural attenuation grade dispersions, GCP45XZJ and JOSP55XZJ, provide sun protection. SunBoost ATB Natural boosts sun protection and nourishes, conditions and soothes lips due to its argan oil, bisabolol and vitamin E content. JOS10M5, a fumed silica gellant in Jojoba Oil, adds skin conditioning properties. JOH55RJE contributes to the rosy shade. Plandool™-G and Plandool™-LG4 work together to provide skin barrier moisture protection. MSS-500/3H offers an even application, increases payoff and enhances feel.

## Manufacturing Procedure:

1. Combine ingredients in Part 1 and propeller mix until uniform.
2. Add Part 2 and continue propeller mixing. Start heating to 85°C.
3. Add Part 3 when batch reaches 85°C.
4. Once fully uniform and waxes have melted, slowly sprinkle Part 4 to batch.
5. Pour into components at 85°C.

## Active Inredient(s):

Zinc Oxide 17.76%

## Testing:

SPF: in vivo on 5 subjects



**KOBO**  
www.koboproducts.com

September, 2020

## FORMULATIONS

Product formulations are included as illustrative examples only. Kobo Products Inc. makes no representation or warranty concerning the efficacy or safety of any product manufactured using such formulations. All statements concerning the possible use of Kobo Products Inc. are for research purposes only. Responsibility for the performance or adequate testing of any product prior to sale or use of any such product lies with the manufacturer thereof.

## USE OF PRODUCTS

Products sold by Kobo are designed, manufactured and sold for industrial use only. Prior to use of any such product for any application other than an industrial use, the user has the sole responsibility and obligation to determine the suitability of any such product for any such application.

## PATENT STATUS

Nothing contained herein shall be construed to imply the nonexistence of any relevant patents or to constitute a permission, inducement or recommendation to practice any invention covered by any patent, without authority from the owner of the patent.

## LIMITATION OF LIABILITY

Kobo Products Inc. shall in no event, whether the claim is based on warranty, contract, tort, strict liability, negligence or otherwise, be liable for incidental or consequential damages, or for any other damages in excess of the amount of the purchase price.

# KOBO

## *The Powder & Dispersion Specialist*



**KOBO PRODUCTS, INC**  
3474 South Clinton Avenue  
South Plainfield, NJ 07080  
USA

Tel: +1 - 908 757 0033  
Fax: +1 - 908 757 0905



**KOBO BRASIL, LTDA**  
Rua Francisco Nakazato n. 2357  
Itupeva SP 13.295-000  
BRASIL

Tel: +55 (11) 5062 6034



**KOBO PRODUCTS, LTD**  
67D(IV), Innovation Drive  
Milton Park, Abingdon, OX14 4RQ  
UNITED KINGDOM

Tel: +44 7913 636 673



**KOBO PRODUCTS, SAS**  
135 Rue Buissonnière  
Quartier Bouysset  
31670 Labège  
FRANCE

Tel: +33 - (0) 5 62 88 77 40  
Fax: +33 - (0) 5 62 88 77 49



**KOBO DISPATEK, INC**  
1-4-8 Nihombashi-bakurocho  
Chuoko, Tokyo, 103-0002  
JAPAN

Tel: +81 - 3 3663 8049  
Fax: +81 - 3 3661 8679

[www.koboproducts.com](http://www.koboproducts.com)

[www.koboproducts.com](http://www.koboproducts.com)