



KLP-283 Lip Cream

%	INGREDIENT	INCI NAME	SUPPLIER
Part 1			
31.75	ND35R7C	Diisostearyl Malate (And) Red 7 Lake (And) Isopropyl Titanium Triisostearate	Kobo Products
14.90	Cegesoft® SBE	Butyrospermum Parkii (Shea) Butter	BASF
14.25	LUSPLAN™ DD-DA7	Dimer Dilinoleyl Dimer Dilinoleate	Nippon/Kobo Products
8.60	ND65U	Titanium Dioxide (And) Diisostearyl Malate (And) Isopropyl Titanium Triisostearate	Kobo Products
5.20	LexFeel™ WOW DT, Natural Cyclomethicone Alternative	C13-16 Isoparaffin (and) Heptyl Undecylenate	Inolex
3.40	dermofeel® sensolv MB	Isoamyl Laurate	Dr. Straetmans/ Evonik
1.75	ND45Y5A	Diisostearyl Malate (And) Yellow 5 Lake (And) Isopropyl Titanium Triisostearate	Kobo Products
0.95	Lexgard® Natural MB	Glyceryl Caprylate (and) Glyceryl Undecylenate	Inolex
0.30	Lexgard® O	Caprylyl Glycol	Inolex
0.20	ND35B1A	Diisostearyl Malate (And) Blue 1 Lake (And) Isopropyl Titanium Triisostearate	Kobo Products
Part 2			
4.75	MSS-500	Silica	Kobo Products
4.75	KOBOGUARD® HRCC	Hydrogenated Polycyclopentadiene (And) Hydrogenated Castor Oil (And) Copernicia Cerifera (Carnauba) Wax (And) Tocopherol	Kobo Products
2.85	CARNAUBA WAX SP 63P	Copernicia Cerifera (Carnauba) Wax	Strahl & Pitsch
2.85	KTZ® SM GLISTEN	Synthetic Fluorophlogopite (And) Titanium Dioxide	Kobo Products
2.55	CANDELILLA WAX	Candelilla Wax	Strahl & Pitsch
0.95	MSS-500/5H	Silica	Kobo Products
100.00			

Description:

This Lip Cream is perfect for dry and chapped lips and leaves them with a moisturizing feel. It offers full color coverage and shine in a single application while softening the lips. ND Pigmentary Dispersions in a Diisostearyl Malate carrier disperse easily into lipstick bases and provide the high color coverage and gloss. Plant-derived ester LUSPLAN™ DD-DA7 imparts gloss. MSS-500 fills lines and prevents from the formula from feathering. MSS-500/5H increases payoff and helps with formula stability. KOBOGUARD® HRCC offers water resistance and long wear to the formula. KTZ® SM GLISTEN adds a metallic effect.

Manufacturing Procedure:

1. Combine Part 1. Prop mix with high sheer at 85°C for 30min at 400rpm.
 2. Add Part 2 to Part 1 at 85°C 600rpm for 30min.
 3. Side Sweep low speed and allow to cool to 35°C.
- Note: maintain covered while mixing.



FORMULATIONS

Product formulations are included as illustrative examples only. Kobo Products Inc. makes no representation or warranty concerning the efficacy or safety of any product manufactured using such formulations. All statements concerning the possible use of Kobo Products Inc. are for research purposes only. Responsibility for the performance or adequate testing of any product prior to sale or use of any such product lies with the manufacturer thereof.

USE OF PRODUCTS

Products sold by Kobo are designed, manufactured and sold for industrial use only. Prior to use of any such product for any application other than an industrial use, the user has the sole responsibility and obligation to determine the suitability of any such product for any such application.

PATENT STATUS

Nothing contained herein shall be construed to imply the nonexistence of any relevant patents or to constitute a permission, inducement or recommendation to practice any invention covered by any patent, without authority from the owner of the patent.

LIMITATION OF LIABILITY

Kobo Products Inc. shall in no event, whether the claim is based on warranty, contract, tort, strict liability, negligence or otherwise, be liable for incidental or consequential damages, or for any other damages in excess of the amount of the purchase price.

KOBO

The Powder & Dispersion Specialist



KOBO PRODUCTS, INC
3474 South Clinton Avenue
South Plainfield, NJ 07080
USA

Tel: +1 - 908 757 0033
Fax: +1 - 908 757 0905



KOBO BRASIL, LTDA
Rua Francisco Nakazato n. 2357
Itupeva SP 13.295-000
BRASIL

Tel: +55 (11) 5062 6034



KOBO PRODUCTS, LTD
67D(IV), Innovation Drive
Milton Park, Abingdon, OX14 4RQ
UNITED KINGDOM

Tel: +44 7913 636 673



KOBO PRODUCTS, SAS
135 Rue Buissonnière
Quartier Bouysset
31670 Labège
FRANCE

Tel: +33 - (0) 5 62 88 77 40
Fax: +33 - (0) 5 62 88 77 49



KOBO DISPATEK, INC
1-4-8 Nihombashi-bakurocho
Chuoko, Tokyo, 103-0002
JAPAN

Tel: +81 - 3 3663 8049
Fax: +81 - 3 3661 8679

www.koboproducts.com

www.koboproducts.com