



KMU-036-EU

# Eyebrow Tattoo Gel

%	INGREDIENT	INCI NAME	SUPPLIER
<b>Part 1</b>			
8.00	<b>BGBO-TTB2</b>	Iron Oxides (CI 77499) (And) Triethoxysilylethyl Polydimethylsiloxyethyl Dimethicone (And) Isopropyl Titanium Triisostearate	<b>Kobo Products</b>
7.00	<b>BGYO-TTB2</b>	Iron Oxides (CI 77492) (And) Isopropyl Titanium Triisostearate (And) Triethoxysilylethyl Polydimethylsiloxyethyl Dimethicone	<b>Kobo Products</b>
4.00	<b>BGRO-TTB2</b>	Iron Oxides (CI 77491) (And) Isopropyl Titanium Triisostearate (And) Triethoxysilylethyl Polydimethylsiloxyethyl Dimethicone	<b>Kobo Products</b>
<b>Part 2</b>			
29.00	<b>PUROLAN™ IDD</b>	Isododecane	Lanxess
19.00	<b>Tixogel IDD</b>	Isododecane (and) Quaternium-90 Bentonite (and) Propylene Carbonate	Eckart
2.00	<b>Glucate™ SS Emulsifier</b>	Methyl Glucose Sesquistearate	Lubrizol, Inc.
<b>Part 3</b>			
10.00	<b>KOBOGUARD® 5400 IDD</b>	Hydrogenated Polycyclopentadiene (And) Isododecane	<b>Kobo Products</b>
4.00	<b>Microcrystalline Wax SP-88</b>	Microcrystalline Wax	Strahl & Pitch
3.00	<b>Sunflower Wax Double Refined</b>	Helianthus Annuus (Sunflower) Seed Wax	Koster Keunen
3.00	<b>PM WAX 82</b>	Polyethylene (And) Microcrystalline Wax	<b>Toray/Kobo Products</b>
<b>Part 4</b>			
6.00	<b>Imercare 04K</b>	Kaolin	Imerys
3.00	<b>ASO-I2</b>	Aluminum Starch Octenylsuccinate (And) Isopropyl Titanium Triisostearate	<b>Kobo Products</b>
2.00	<b>MSS-500/3H</b>	Silica	<b>Kobo Products</b>
<b>100.00</b>			

## Description:

This is an anhydrous, pigmented gel to fill, define and shape eyebrows, that once dry, is durable, non-transfer, non-smudging and waterproof. The formula features TTB treated iron oxides that are highly dispersible and provide full color development in the chosen volatile carrier of the formula. KOBOGUARD® 5400 IDD ensures the great adhesion and water and rub resistance of the product. PM WAX 82 is a combination of waxes used to bring stability and viscosity to the formulation, as well as helping to shape and hold eyebrows in place. MSS-500/3H is an oil absorbing hollow silica, which contributes to the homogeneity of the color film and viscosity of the formula. ITT treated starch ASO-I2 offers a creamy feel to the formulation.

## Manufacturing Procedure:

1. Pulverize powders in Part 1.
2. Disperse Part 1 in Part 2 under homogenizer, square hole head at 3000rpm.
3. Add Part 3 to main vessel and cover. Heat to melt waxes and ensure not to exceed 92°C.
4. Add Part 4 and mix until homogeneous under prop stirrer.



**KOBO**  
www.koboproducts.com

July, 2020

## FORMULATIONS

Product formulations are included as illustrative examples only. Kobo Products Inc. makes no representation or warranty concerning the efficacy or safety of any product manufactured using such formulations. All statements concerning the possible use of Kobo Products Inc. are for research purposes only. Responsibility for the performance or adequate testing of any product prior to sale or use of any such product lies with the manufacturer thereof.

## USE OF PRODUCTS

Products sold by Kobo are designed, manufactured and sold for industrial use only. Prior to use of any such product for any application other than an industrial use, the user has the sole responsibility and obligation to determine the suitability of any such product for any such application.

## PATENT STATUS

Nothing contained herein shall be construed to imply the nonexistence of any relevant patents or to constitute a permission, inducement or recommendation to practice any invention covered by any patent, without authority from the owner of the patent.

## LIMITATION OF LIABILITY

Kobo Products Inc. shall in no event, whether the claim is based on warranty, contract, tort, strict liability, negligence or otherwise, be liable for incidental or consequential damages, or for any other damages in excess of the amount of the purchase price.

# KOBO

## *The Powder & Dispersion Specialist*



**KOBO PRODUCTS, INC**  
3474 South Clinton Avenue  
South Plainfield, NJ 07080  
USA

Tel: +1 - 908 757 0033  
Fax: +1 - 908 757 0905



**KOBO BRASIL, LTDA**  
Rua Francisco Nakazato n. 2357  
Itupeva SP 13.295-000  
BRASIL

Tel: +55 (11) 5062 6034



**KOBO PRODUCTS, LTD**  
67D(IV), Innovation Drive  
Milton Park, Abingdon, OX14 4RQ  
UNITED KINGDOM

Tel: +44 7913 636 673



**KOBO PRODUCTS, SAS**  
135 Rue Buissonnière  
Quartier Bouysset  
31670 Labège  
FRANCE

Tel: +33 - (0) 5 62 88 77 40  
Fax: +33 - (0) 5 62 88 77 49



**KOBO DISPATEK, INC**  
1-4-8 Nihombashi-bakurocho  
Chuoko, Tokyo, 103-0002  
JAPAN

Tel: +81 - 3 3663 8049  
Fax: +81 - 3 3661 8679

[www.koboproducts.com](http://www.koboproducts.com)

[www.koboproducts.com](http://www.koboproducts.com)