



KPP-123

Double Duty Pressed Powder

%	INGREDIENT	INCI NAME	SUPPLIER
Part 1			
65.30	TALC AJM	Talc	Kobo Products
17.00	BTD-NJE2	Titanium Dioxide (And) Jojoba Esters	Kobo Products
10.00	SERICITE FSL-NJE5	Mica (And) Jojoba Esters	Kobo Products
2.40	BYO-NJE3	Iron Oxides (CI 77492) (And) Jojoba Esters	Kobo Products
1.00	ZINC LAURATE	Zinc Laurate	Kobo Products
0.50	BRO-NJE2	Iron Oxides (CI 77491) (And) Jojoba Esters	Kobo Products
0.10	BBO-NJE2	Iron Oxides (CI 77499) (And) Jojoba Esters	Kobo Products
Part 2			
1.00	MINERAL OIL CARNATION	Mineral Oil	Ruger Chemical
1.00	Phytolane LS	Squalane	Barnet
0.50	Dermofat 4919	Stearic Acid	Alzo International
0.30	Lipo® GMS-450	Glyceryl Stearate	Vantage
0.30	Lexgard® Natural	Glyceryl Caprylate (And) Glyceryl Undecylenate	Inolex
0.20	Petrolatum G-1958	Petrolatum	Sonneborn Inc
0.15	Lexgard® O	Caprylyl Glycol	Inolex
0.15	Triethanolamine	Triethanolamine	BASF
0.10	Cholesterol NF	Cholesterol	RITA
100.00			

Description:

This versatile pressed powder has a weightless feel, buildable coverage and can be applied wet or dry. TALC AJM, a fine white powder, provides excellent skin adhesion, pressability, and contributes to the smooth texture. Jojoba Ester (NJE) treated pigments and filler show good pressability and impart the formulation with a creamy feel and strong affinity to the skin. ZINC LAURATE, a dry binder, offers good pressability.

Manufacturing Procedure:

1. Combine Part 1 and micropulverize until color is fully developed.
2. Heat Part 2 to 70° C in a side beaker.
3. Slowly add Part 2 to Part 1 and blend until oils are completely absorbed.
4. Press at 350 psi.

Notes:

This pressed powder may be applied dry with a powder puff or brush, or wet with a sponge.



KOBO
www.koboproducts.com

January, 2020

FORMULATIONS

Product formulations are included as illustrative examples only. Kobo Products Inc. makes no representation or warranty concerning the efficacy or safety of any product manufactured using such formulations. All statements concerning the possible use of Kobo Products Inc. are for research purposes only. Responsibility for the performance or adequate testing of any product prior to sale or use of any such product lies with the manufacturer thereof.

USE OF PRODUCTS

Products sold by Kobo are designed, manufactured and sold for industrial use only. Prior to use of any such product for any application other than an industrial use, the user has the sole responsibility and obligation to determine the suitability of any such product for any such application.

PATENT STATUS

Nothing contained herein shall be construed to imply the nonexistence of any relevant patents or to constitute a permission, inducement or recommendation to practice any invention covered by any patent, without authority from the owner of the patent.

LIMITATION OF LIABILITY

Kobo Products Inc. shall in no event, whether the claim is based on warranty, contract, tort, strict liability, negligence or otherwise, be liable for incidental or consequential damages, or for any other damages in excess of the amount of the purchase price.

KOBO

The Powder & Dispersion Specialist



KOBO PRODUCTS, INC
3474 South Clinton Avenue
South Plainfield, NJ 07080
USA

Tel: +1 - 908 757 0033
Fax: +1 - 908 757 0905



KOBO BRASIL, LTDA
Rua Francisco Nakazato n. 2357
Itupeva SP 13.295-000
BRASIL

Tel: +55 (11) 5062 6034



KOBO PRODUCTS, LTD
67D(IV), Innovation Drive
Milton Park, Abingdon, OX14 4RQ
UNITED KINGDOM

Tel: +44 7913 636 673



KOBO PRODUCTS, SAS
135 Rue Buissonnière
Quartier Bouysset
31670 Labège
FRANCE

Tel: +33 - (0) 5 62 88 77 40
Fax: +33 - (0) 5 62 88 77 49



KOBO DISPATEK, INC
1-4-8 Nihombashi-bakurocho
Chuoko, Tokyo, 103-0002
JAPAN

Tel: +81 - 3 3663 8049
Fax: +81 - 3 3661 8679

www.koboproducts.com

www.koboproducts.com