TEL: 908-757-0033
FAX: 908-757-0905

KOBO

www.KoboProductsInc.com
KoboInfo@KoboProductsInc.com

PRODUCT SPECIFICATION

Product: GLW45WY-SPA

INCI Name: Iron Oxides (CI 77492) (And) Glycerin (And) Water (And) Cellulose Gum (And) Sodium Polyaspartate

Test ID	Test Name	Specification Min / Max / Text		Test Method
001A	Appearance	Yellow viscous slurry, To Match Standard		Visual
002A	Odor	Characteristic, To Match Standard		Organoleptic
003F	Color (L*a*b*)	To Match Standard		Tint drawdown evaluation
004A	Viscosity @ 25°C, cPs	25000	120000	Brookfield Viscometer
012B	Microbiology	Total bacterial count < 100cfu/g (ml); Yeast and mold < 100cfu/g (ml); No gram negative or positive		Current USP Microbial Limit Test
025J	pH 1 part in 3 parts of water	7	9	pH meter
036A	Identification	to match the standard		IR
	Heavy Metal(s)			
	Base pigments	Iron oxide meets 21CFR specifications		
027M	Arsenic (As), ppm	0	1	ICP-MS Method
029P	Lead (Pb), ppm	0	1	ICP-MS Method
031L2	Mercury, ppm	0	1	ICP-MS

If you have any questions about the information contained within this document, please contact Stephanie Fiallos, tel +1 (908) 941-9108.

Apr. 2025